

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4239	((recover\$3 or restor\$3 or reestablish\$3 or re-establish\$3) near10 (synchronization)) and (synchron\$7 near10 (store or storage or data or information or database or data adj base)) and (@AD <"20010627" or @RLAD <"20010627"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:53
L2	17	1 and (prevent\$3 or avoid\$3 or without or minimi\$7 or reduc\$3) with (replicat\$3 or duplicat\$3) near10 object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:53
L3	33	1 and (prevent\$3 or avoid\$3 or without or minimi\$7 or reduc\$3) with (replicat\$3 or duplicat\$3 or redundant) near10 (copy or object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:54
L4	6439	((recover\$3 or restor\$3 or reestablish\$3 or re-establish\$3) near10 (synchronization or link or connection)) and (synchron\$7 near10 (store or storage or data or information or database or data adj base)) and (@AD <"20010627" or @RLAD <"20010627"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 10:38
L5	77	4 and (prevent\$3 or avoid\$3 or without or minimi\$7 or reduc\$3) with (replicat\$3 or duplicat\$3 or redundant) near10 (copy or object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 10:36
L6	37	5 and (client and server) near5 request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:55
L7	36	6 and (accord\$4 or based or depend\$3 or correspond\$3 or us\$3) adj5 state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 10:39
L8	31	7 and mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 10:16

L9	5	7 not 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 10:04
L10	41	5 and mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 10:46
L11	10	10 not (8 or 9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 10:16
L12	6721	(fail\$4 and recover\$3) and (prevent\$3 or avoid\$3 or without or minimi\$7 or reduc\$3) with (replicat\$3 or duplicat\$3 or redundant) and (@AD <"20010627" or @RLAD <"20010627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 10:38
L13	56	(fail\$4 and recover\$3).ti,ab. and (prevent\$3 or avoid\$3 or without or minimi\$7 or reduc\$3) with (replicat\$3 or duplicat\$3 or redundant).ti,ab. and (@AD <"20010627" or @RLAD <"20010627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 10:51
L14	6	13 and (accord\$4 or based or depend\$3 or correspond\$3 or us\$3) adj5 state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 10:41
L15	10	13 and (accord\$4 or based or depend\$3 or correspond\$3 or us\$3) adj5 (table or state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 10:42
L16	46	13 not 15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 10:51
L17	3	13 and mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 10:46

L18	46	16 and (fail\$4 and recover\$3) and (prevent\$3 or avoid\$3 or without or minimi\$7 or reduc\$3) with (replicat\$3 or duplicat\$3 or redundant)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 10:51
-----	----	---	---	----	----	------------------